

REPORT DOCUMENTATION PAGE

UDACopy

PUBLIC RECORDING BURDEN FOR THIS COLLECTION OF INFORMATION IS ESTIMATED TO AVERAGE 1 HOUR PER RESPONSE, INCLUDING THE TIME FOR REVIEWING INSTRUCTIONS, SEARCHING EXISTING DATA SOURCES, GATHERING AND MAINTAINING THE DATA NEEDED, AND COMPLETING AND REVIEWING THE COLLECTION OF INFORMATION. SEND COMMENTS REGARDING THIS BURDEN ESTIMATE OR ANY OTHER ASPECT OF THIS COLLECTION OF INFORMATION, INCLUDING SUGGESTIONS FOR REDUCING THE BURDEN, TO: WASHINGTON HEADQUARTERS SERVICES, DIRECTORATE FOR INFORMATION OPERATIONS AND REFORMS, 1219 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, AND TO THE OFFICE OF MANAGEMENT AND BUDGET, PROGRAMS REFORM PROJECT (0704-0188), WASHINGTON, DC 20503.

1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE	3. REPORT TYPE AND DATES COVERED	
	07/18/96	Final Technical 1 March 1993-28Feb.1996	
4. TITLE AND SUBTITLE Conjugated Polymers with a Degenerate Ground State: The Route to High Performance NLO Response.		5. FUNDING NUMBERS F49620-93-1-0191	
6. AUTHOR(S) Alan J. Heeger		61102F 3303/CS	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Polymer Institute University of California Santa Barbara, CA 93106		8. PERFORMING ORGANIZATION REPORT NUMBER AFOSR-TR-96	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) Air Force Office of Scientific Research/NL Bolling Air Force Base Washington DC 20332-6448 Dr. Lee		0465	
10. SUPPLEMENTARY NOTES			
11. DISTRIBUTION/AVAILABILITY STATEMENT DOD UL		12. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words) This program of scientific research focused on the nonlinear optical properties of conjugated polymers with particular emphasis on Conjugated Polymers with Degenerate Ground State: The Route to High Performance NLO Response. During the final year there was a shift in emphasis toward the use of Photoinduced Electron Transfer in Conducting Polymer - Fullerene Composites as a Route to High Performance NLO Materials. There was excellent progress toward each of the three program goals: The use of conjugated polymers with degenerate ground state as a route to high performance third order NLO, the development of a prototype optical correlators and the demonstration of optical computing (based on the following two classes of materials: conjugated polymers with degenerate ground state and photorefractive materials), and the development of photoinduced optical limiters based on conducting polymer - fullerene composites.			
DTIC QUALITY INSTITUTE			
14. SUBJECT TERMS		15. NUMBER OF PAGES 4	
		16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT unclassified	20. LIMITATION OF ABSTRACT UL

**Final Technical Report
Due 28, February 1996**

to

Air Force Office of Scientific Research

F49620-93-1-0191DEF

**Conjugated Polymers with Degenerate Ground State:
The Route to High Performance NLO Response**

Principal Investigators:

Professor Alan J. Heeger
Professor Fred Wudl

Administering Unit:

Institute for Polymers and Organic Solids
University of California at Santa Barbara
Santa Barbara, CA 93106

19961015 031

I. Objectives:

This program of scientific research is focused on the nonlinear optical properties of conjugated polymers with a particular emphasis on Conjugated Polymers with Degenerate Ground State: The Route to High Performance NLO Response. During the final year there was a shift in emphasis toward the use of Photoinduced Electron Transfer in Conducting Polymer - Fullerene Composites as a Route to High Performance NLO Materials.

The program had three goals:

- The use of conjugated polymers with degenerate ground state as a route to high performance third order NLO
- The development of a prototype optical correlators and the demonstration of optical computing based on the following two classes of materials:
 - a. Conjugated polymers with degenerate ground state polymer
 - b. Photorefractive materials
- The development of Photoinduced Optical Limiters based on Conducting Polymer - Fullerene Composites

Each of these represented a novel and potentially important NLO materials concept.

II. Summary of Progress (Final Report)

A. The use of conjugated polymers with degenerate ground state as a route to high performance third order NLO

The work on the first goal was successfully completed. We demonstrated unusually large third order NLO coefficients in the class of conjugated polymers with degenerate ground state, and we verified that the mechanism is the result of the virtual soliton pair intermediate states. These results are presented in detail in the following publications:

Frequency dependence of third harmonic generation in cis and trans polyacetylene: importance of degenerate ground state to nonlinear optical response

C. Halvorson, D. Moses, T.W. Hagler, Y. Cao and A.J. Heeger, *Synth. Met.* 49-50, 49 (1992)

Conjugated polymers with degenerate ground state: The route to high performance third-order nonlinear optical response

C. Halvorson, T.W. Hagler, D. Moses, Y. Cao and A.J. Heeger, *Chem. Phys. Lett.* 200, 364 (1992)

Soluble conjugated polymers with degenerate ground state: Derivatives of poly(1,6-heptadiyne)
K. Pakbaz, R. Wu, F. Wudl and A.J. Heeger, *J. Chem. Phys.* 99, 590 (1993)

Third harmonic generation spectra of degenerate ground state derivatives of poly(1,6-heptadiyne)
C. Halvorson, R. Wu, D. Moses, F. Wudl and A.J. Heeger, *Chem. Phys. Lett.* 212, 85 (1993)

Two-photon absorption spectrum of oriented trans-polyacetylene
C. Halvorson and A.J. Heeger, *Chem. Phys. Lett.* 216, 488 (1993)

Third harmonic generation spectra of degenerate ground state poly[(dipropargyl) amines]
J. McElvain, N. Zhang, C. Halvorson, F. Wudl, and A.J. Heeger, *Chem. Phys. Lett.* 232, 149 (1995)

Third harmonic generation spectrum of a degenerate ground state polymer: Direct evidence of simultaneous two- and three-photon resonance

J. McElvain, M. Cha, H. Yu, N. Zhang, F. Wudl and A.J. Heeger, Chem. Phys. Lett. 247, 221 (1995)

B. The development of a prototype optical correlators and the demonstration of optical computing based on the following two classes of materials:

- a. Conjugated polymers with degenerate ground state**
- b. Photorefractive materials**

The work on the second goal was successfully completed, both using conjugated polymers with degenerate ground state and using photorefractive polymers as the active materials. This progress was reported in detail in the following publications:

A 160 femtosecond optical image processor based on a conjugated polymer

C. Halvorson, A. Hays, B. Kraabel, R. Wu, F. Wudl and A.J. Heeger, Science, 265, 1215 (1994)

Optical computing by use of photorefractive polymers

C. Halvorson, B. Kraabel, A.J. Heeger, B.L. Volodin, K. Meerholz, Sandalphon and N. Peyghambarian, Optics Letters, 20, 76 (1995)

Femtosecond optical correlation using four-wave mixing

C. Halvorson, A. Hays, B. Kraabel, R. Wu, F. Wudl and A.J. Heeger, Synth. Met. 71, 2197 (1995)

Two-photon absorption and Ultrafast optical computing

C. Halvorson and A.J. Heeger, Synth. Met. 71, 1649 (1995).

This work was expanded with the goal of demonstrating a compact, low cost version of the optical correlator. This aspect was completed (during the summer of 1996) and submitted to Rev. Sci. Instruments as follows:

Compact, low power polymer-based optical correlator

D. Vacar, A.J. Heeger, B. Volodin, K. Kippelen and N. Peyghambarian, Rev. Sci. Inst. (submitted).

C. The development of Photoinduced Optical Limiters based on Conducting Polymer - Fullerene Composites

Major progress was made toward the third goal as summarized in the following publication:

Enhanced nonlinear absorption and optical limiting in semiconducting polymer/methanofullerene charge transfer films

M. Cha, N.S. Sariciftci, A.J. Heeger, J.C. Hummelen and F. Wudl, Appl. Phys. Lett. 67, 3850 (1995).

This work has opened an entirely new direction for research on nonlinear optical materials; it forms the basis for the renewal contract which began in early 1996. More recent progress in this area is particularly promising. In fact charge-transfer polymers have been shown to be a new class of nonlinear optical materials which can be used for generating femtosecond holographic gratings with high diffraction efficiencies.

D. Polymer Grid Triodes

An analytic model was developed for the polymer grid triode. Analysis of the generalized field assisted carrier injection by tunneling, controlled by the grid voltage, resulted in the development of a successful description of the charge injection and transport in the polymer grid triode. The results have been accepted for publication.

An analytic model of the polymer grid triode
J. McElvain and A.J. Heeger, J. Appl. Phys. (in press).

All aspects of the experimental equipment and procedures are included in the publications listed above.

III. Advanced degrees awarded

Dr. Craig Halvorson

Dissertation title: "Third Order Nonlinear Optical Effects in Conjugated Polymers"

Dr. Andrew Hays

Dissertation title: "Ultrafast All-Optical Phenomena and Devices Using Conjugated Polymer Thin Films"

IV. Cumulative list of researchers involved in the AFOSR research effort

Craig Halvorson, Research Physicist

Francois Brown de Colstoun, Research Physicist

Andrew Hays, Graduate Student & Research Physicist

Myounskik Cha, Research Physicist

Daniel Moses, Research Physicist

Changhee Lee, Graduate Student

Reghu Menon, Research Physicist

Serdar Sariciftci, Research Physicist

Laura Smilowitz, Graduate Student

Jean-Luc Brédas, Research Physicist

Helen Nugent, Research Chemist

Ruilan Wu, Research Chemist

Hailiang Wang, Research Chemist

Gordana Srdanov, Staff Research Assoc., Physical Chemist

Paul Smith, Professor

Fred Wudl, Professor, co-P.I.

Alan J. Heeger, Professor, P.I.